



LED STRIP LIGHTING

# SA FlexA PN60 Series

## Features

- Fast and easy installation with top hat shape clips. **(Outdoor only)**
- Highest quality genuine 3M adhesive tape backing **(Indoor Only)**
- Electronic dimming control supported.
- Can be cut to length
- 5 years warranty


## Specification

Power(V)	Item Code	Colour	CCT(K)	Current Dissipation(A)	IP Rating
12V	SA 11111	Pure White	6,500	1.2	IP22
	SA 11112	Warm White	3,000	1.2	IP22
24V	SA 31111	Pure White	6,500	0.6	IP22

## Technical Characteristics

Power Consumption	14.4W/M
Luminous Flux(lm)	1188lm
Efficiency	82.5lm/W
Viewing Angle	120°
CRI (Ra)	80+
LED Type	3528 LED
Cutable Length	Every 3 LEDs / 25mm (DC12V), Every 6 LEDs / 50mm (DC24V)
Number of LED	120EA/M (600 LEDs)

IP Rating



### Temperature Ranges

Operating temperature	-20~60
Storage temperature	-30~70


### Warranty

Warranty	5 years
----------	---------


## Physical Characteristics

Dimensions(W*H*M)	10*2.5*5000
Weight	150g

### 12V




### 24V



| Max in series **5 Metre**

12V



24V

