



## LED STRIP LIGHTING

# SA FlexA N60 RGB

### Features

- Synchronized colour change, driven by LED controller
- Fast and easy installation
- Highest quality genuine 3M adhesive tape backing
- Electronic dimming control supported.
- Cuttable each 3 LEDs, Can be formed into any shapes.
- 5 years warranty

### Specification

Item Code	Colour	Viewing Angle	Luminous Flux(lm)	Efficiency(lm/W)
SA11115	RGB	120°	245	20

### Technical Characteristics

Power Consumption	14.4W/M
Voltage	DC12V
Current Dissipation(A)	1.2A
IP Rating	IP20
LED Type	5050 LED
Cuttable Length	Every 3LEDs / 50mm
Number of LED	60 EA/M (300 LEDs)

### Certification




### Temperature Ranges

Operating temperature	-20~60°
Storage temperature	-30~70°

### Warranty


Warranty	5 years
----------	---------

IP Rating




## Physical Characteristics

Dimensions(W*H*M)	10*2.5*5000
Weight	140g



## Max in series 5 Metre









## LED STRIP ACCESSORIES



# RGB STRIP








### B-LED STRIP LIGHT (Required)

Model	Item Code	Features	Dimension(mm)	
Strip Connector	SA 9816	4pin connector_Strip to Strip for RGB (10pack)	W:15 L:5 H:15	
Strip Connector	SA 9826	4pin connector_Wire One End for RGB (10pack)	W:15 L:170 H:15	
Strip Connector	SA 9836	4pin connector_Wire Both Ends for RGB (10pack)	W:15 L:190 H:15	
LED Wire	SA 9132	UL 18AWG 4C for RGB (50M/Roll)	-	
LED Wire	SA 9142	UL 18AWG 4C for RGB with PVC (50M/Roll)	-	
LED Wire	SA 9172	UL 18AWG 4C for RGB with PVC (50M/Roll)	-	

### RGB Controller (Required)

Model	Item Code	Features	Dimension(mm)	
RGB Controller	SA 127	LT-M6+M3-3A RGB Controller including remote controller with battery	Controller W:30 L:135 H:20 Remote W:60 L:104 H:9	
RGB Controller	SA 122	LT-3600RF RGB Controller including remote controller with battery	Controller W:40 L:211 H:30 Remote W:50 L:108 H:15	

**\*All Strip**

Model	Item Code	Features	Diemension(mm)	
Mount Clip Sets	SA 9911	Silicone Mounting Clip Sets for Outdoor (5Sets/Pack) (1Set: 5mounting clips, 1endcap and 6screws)	W:60 L:85 H:20	
WAGO connector	SA 926-J	2 WAGO Connectors 1 Jar (100ea)	W:13.2 L:18.8 H:8.4	
LED Wire	SA 917	LED Wire UL 22AWG Red&White (50M/Roll)	-	
<b>*This is the product we recommend, but you can discover more Connectors &amp; LED wires on our website.</b>				
Jump Wire	SA 95D1	Welding Jump Wire_50mm (100pcs)	W:50 L:55 H:60	
Jump Wire	SA 95D2	Welding Jump Wire_100mm (100pcs)	W:100 L:55 H:60	
Jump Wire	SA 95D3	Welding Jump Wire_150mm (100pcs)	W:150 L:55 H:60	