



LED STRIP LIGHTING

SA SN Zigzag 72 Series

Features

- Can be bent really free and can go any surface.
- Dimmer Compatibility
- Highest quality genuine 3M adhesive tape backing
- Cuttable each 3 LEDs, can be formed into any shapes
- Low temperature, Better stability
- Indoor (IP20)
- Up to 5Years Warranty


Specification

Item Code	Colour	CCT(K)/Wavelength	Luminous Flux(lm)	IP Rating
SA 17321 ECO	Pure White	6,500	518	IP20
SA 75321	Pure White	6,500	763	IP20
SA 75322	Warm White	3,000	763	IP20
SA 75322-A	Warm White	4,000	763	IP20



Technical Characteristics

Power Consumption	7.2W/M
Voltage	DC12V
Current Dissipation	0.6A
Efficiency	106lm/W, 72lm (SA 17321 ONLY)
Viewing Angle	120°
CRI (Ra)	80+
LED Type	2835T LED, 2835LED (SA 17321 ONLY)
Cutttable Length	Every 3 LEDs / 41.66mm
Number of LED	72EA/M (360 LEDs)



Certification



Temperature Ranges


Operating temperature	-20~60°
Storage temperature	-30~70°

Warranty

Warranty	5years, 4years (SA 17321 ONLY)
----------	--------------------------------


Physical Characteristics

Dimensions(W*H*M)	6.5*1.5*5000
Weight	100g








Max in series 5 Metre

*Up-to 5 metre in a single series



***All Strip**

Model	Item Code	Features	Diemension(mm)	
Mount Clip Sets	SA 9911	Silicone Mounting Clip Sets for Outdoor (5Sets/Pack) (1Set: 5mounting clips, 1endcap and 6screws)	W:60 L:85 H:20	
WAGO connector	SA 926-J	2 WAGO Connectors 1 Jar (100ea)	W:13.2 L:18.8 H:8.4	
LED Wire	SA 917	LED Wire UL 22AWG Red&White (50M/Roll)	-	
*This is the product we recommend, but you can discover more Connectors & LED wires on our website.				
Jump Wire	SA 95D1	Welding Jump Wire_50mm (100pcs)	W:50 L:55 H:60	
Jump Wire	SA 95D2	Welding Jump Wire_100mm (100pcs)	W:100 L:55 H:60	
Jump Wire	SA 95D3	Welding Jump Wire_150mm (100pcs)	W:150 L:55 H:60	