



LED STRIP LIGHTING

SA FWS 60 Series

Features

- **Outdoor & indoor use**
- Weatherproof type(IP65) with Silicon coating
- Fast and easy installation
- Dimmer Compatibility
- Cuttable each 3 LEDs
- Highest quality genuine 3M adhesive tape backing
- Electronic dimming control supported.
- 5 years warranty

Specification


Item Code	Colour	CCT(K)	No. of LED	Luminous Flux(lm)	Efficiency
SA 74311	Pure White	6,500	60LED	1440	100m/W
SA 74312	Warm White	3,000	60LED	1440	100m/W
SA 74312-A	Warm White	4,000	60LED	1440	100m/W



Technical Characteristics

Power Consumption	14.4W/M
Voltage	DC12V
Current Dissipation	1.2A
IP Rating	IP65
Viewing Angle	120°
CRI(Ra)	90+
LED Type	2835T LED
Cuttable Length	Every 3 LEDs / 50mm
Number of LED	60EA/M (300 LEDs)

IP Rating



Certification



Temperature Ranges


Operating temperature	-20~60°
Storage temperature	-30~70°

Warranty

Warranty	5years
----------	--------


Physical Characteristics

Dimensions(W*H*M)	10*3.5*5000
Weight	118g




Max in series 5 Metre

*Up-to 5 metre in a single series



LED STRIP ACCESSORIES

STANDARD STRIP



B-LED STRIP LIGHT (Required)

Model	Item Code	Features	Diemension(mm)	
Strip Connector	SA 929	2pin connector Weatherproof type (1 Set)	W:75 L:120 H:95	
Strip Connector	SA 9814	2pin connector_Strip to Strip for 8mm (10pack)	W:12 L:15 H:5	
Strip Connector	SA 9824	2pin connector_Wire One End for 8mm (10pack)	W:12 L:170 H:15	
Strip Connector	SA 9834	2pin connector_Wire Both Ends for 8mm (10pack)	W:12 L:190 H:15	
Strip Connector	SA 9815	2pin connector_Strip to Strip for 10mm (10pack)	W:15 L:5 H:15	
Strip Connector	SA 9825	2pin connector_Wire One End for 10mm (10pack)	W:15 L:5 H:15	
Strip Connector	SA 9835	2pin connector_Wire Both Ends for 10mm (10pack)	W:15 L:5 H:15	

Dim Controller (Required)

Model	Item Code	Features	Diemension(mm)	
Dim Controller	SA 116	LT-M1+M3-3A LED Dim Controller including remote controller with battery	Controller W:30 L:135 H:20 Remote W:60 L:104 H:9	
Dim Controller	SA 111	LT-311RF LED Dim Controller including remote controller with battery	Controller W:40 L:211 H:30 Remote W:50 L:108 H:15	

*All Strip

Model	Item Code	Features	Diemension(mm)	
Mount Clip Sets	SA 9911	Silicone Mounting Clip Sets for Outdoor (5Sets/Pack) (1Set: 5mounting clips, 1endcap and 6screws)	W:60 L:85 H:20	
WAGO connector	SA 926-J	2 WAGO Connectors 1 Jar (100ea)	W:13.2 L:18.8 H:8.4	
LED Wire	SA 917	LED Wire UL 22AWG Red&White (50M/Roll)	-	
*This is the product we recommend, but you can discover more Connectors & LED wires on our website.				
Jump Wire	SA 95D1	Welding Jump Wire_50mm (100pcs)	W:50 L:55 H:60	
Jump Wire	SA 95D2	Welding Jump Wire_100mm (100pcs)	W:100 L:55 H:60	
Jump Wire	SA 95D3	Welding Jump Wire_150mm (100pcs)	W:150 L:55 H:60	